


# How to build your robot

www.pib.rocks/build

assembly instructions for:

# **Shoulder horizontal**

pib#4



# PRINT BUILD DEVELOP YOUR OWN ROBOT



# **Printable and pre-assembled parts**

Pib´s shoulder consists of **12 printable parts** and is assembled in **13 steps.** 

In order to construct the shoulder, you will need to print the parts as seen in the table.

Please note: For better readability we use the abbreviations in the tutorial: C08 instead of C08-Central\_rotator\_bracket.

### Printable parts

**C65**-Bracket\_Outer\_Shoulder

**C66**-Cap\_Front\_Outer\_Shoulder

**C67**-Cap\_Back\_Outer\_Shoulder

C68-Inner\_Ring\_Outer\_Shoulder (2x)

**C69**-Inner\_Part\_Outer\_Shoulder

**C70**-Shell\_Outer\_Shoulder

C72-Plate\_Outer\_Shoulder (2x)

**C73**-Motor\_Bracket\_Outer\_Shoulder

C74-Wire\_holder

**C75**-Front\_Bracket\_Outer\_Shoulder (2x)

**C08**-Central rotator bracket

**C09**-Central\_rotator\_connector

**C15**-Central\_rotator\_motor\_connector



# Non-printable parts

You will also need the following non-printable parts from our pib.Box Master.

If you do not have it yet, you can buy in our shop https://shop.pib.rocks.

Non-printable parts
1 x <b>E09</b> DS3225 Servo
1 x <b>E15</b> DS5180SSG Servo
1 x <b>M17</b> Motor_clamp-18T
1 x <b>M18</b> Metal-motor-Adapter-L
2 x <b>M04</b> Big sized ballbearings <b>(</b> 60 x 78 x 10mm)

# Non-printable parts 50 x **S01** M3 nuts 4 x **S02** M3 6 mm screws 5 x **\$03** M3 8 mm screws 20 x **\$04** M3 10 mm screws 1 x **S05** M3 12 mm screws 12 x **\$06** M3 16 mm screws 12 x **\$08** M3 20 mm screws 6 x **\$13** M3 40mm screws 2 x **M06**-Ballbearing\_Axial\_70x50x3 2 x M07-Thrust\_bearing\_70x50x1



# **Printable parts - Overview**











# **Printable parts - Overview**












# **Printable parts - Overview**











# Build it better: our suggestion for assembling pib



We recommend **tools** for each step. These are a suggestion, you can of course also use other tools.



We have categorized each step according to its **difficulty** - from **1-5** (1 being the easiest, 5 the hardest)







We also show you which **non-printable parts** you need for each step










Place 14 x M3 nuts in the shown spots in 2 x C65.

















Connect **2 x C65** to each other and to upper-body-assembly using **2 x M3 40mm screws**.


(This connection will be hidden in future slides for visibility)





# Step 3


### Connect 2 x M04 to C65s.



































8x

Insert **8 x M3 nuts** in **C69** (4 on each side). Make sure they are inserted all the way through.















Insert 2 x M3 nuts each side in the shown spots in C69. Make sure they are inserted all the way through.














Insert 2 x M3 nuts each side in the shown spots in C69. Make sure they are inserted all the way through.












Connect **M17** to **E15**, then tighten the screw on the side to lock the connection.





Please revert to step 0 and calibrate the motor if it was not calibrated










### Connect **E15** motor to **C69** using **2** x **C72** and **4** x **M3 20mm screws**.















Connect **C65 to C69** using **2 x C68** and **8 x M3 20mm screws**.
















Place **2 x M3** nuts in the shown spots of **C67**.



































### Connect C74 to C67 using 2 x M3 8mm screws.















Insert **8 x nuts** in the shown spot of **C73**.



Use a small screwdriver or a precision tool to put the nuts into the holes and hit them gently with a hammer to place them correctly.






### Connect **E09** to **C73** using **4 x M3 10mm screws**.
















### Place M18 on E09


















Insert **4 x nuts** in the shown spot of **C08**.



Use a small screwdriver or a precision tool to put the nuts into the holes and hit them gently with a hammer to place them correctly.



Place C08, M06 and M07 on top of C73.



C08




Please make sure, that the small movable pieces in **M06** face towards **M07**.












### Insert 2 x nuts in C15.













## Step 10d

Flip C15 and connect it to M18 using 1 x M3 12mm screw and 4 x M3 6mm screws.

















Please make sure, that you connect **C15** in the shown orientation.


# Step 10e








### Connect C09 to C15 using 2 x 8 mm screws.



Please make sure, that you connect **C09** to **C15** in the shown orientation.



# Step 11


Place **M07** and **M06** on top of **C09**.
















Please make sure, that the small movable pieces in **M06** face towards **M07**.




# Step 12



Place **C70** on top of the previous assembly.












Use **16 x 10 mm screws** to connect **C70** to the assembly.





# Congratulations





# Do you need support?

Or do you need our pib.Box with all non-printable parts?
Or maybe you have some new ideas and improvements?
Please contact us.



team@pib.rocks
Send us an email.



**discord.com/invite/GRdpyeDu7P** Join us on Discord.



**shop.pib.rocks**Order non-printable parts for pib.